Available online at www.sciencedirect.com
SCIENCE DIRECT®
PERGAMON
Phytochemistry 63 (2003) I–VIII
PHYTOCHEMISTRY
www.elsevier.com/locate/phytochem

Contents of Volume 63

Number 1

Graphical Abstracts vii

Full Papers

Protein Biochemistry

Amino acid sequence of the 26 kDa subunit of legumin-type seed storage protein of common buckwheat (*Fagopyrum esculentum* Moench): molecular character- ization and phylogenetic analysis — 1 S. Bharali and N. K. Chrungoo

Differences in nucleotide-binding site of isoapyrases deduced from tryptophan fluorescence — 7 V. Espinosa, A. M. Kettlun, A. Zanocco, E. Cardemil and M. A. Valenzuela

Molecular Genetics and Genomics

A rationale for the shift in colour towards blue in transgenic carnation flowers expressing the flavonoid 3′,5′-hydroxylase gene — 15 Y. Fukui, Y. Tanaka, T. Kusumi, T. Iwashita and K. Nomoto

Metabolism

Biosynthesis of the sesquiterpene hodgsonox from the New Zealand liverwort *Lepidolaena hodgsoniae* — 25 A. J. Barlow, S. D. Lorimer, E. R. Morgan and R. T. Weavers

Biotransformation of aliphatic and aromatic ketones, including several monoterpenoid ketones and their derivatives by five species of marine microalgae — 31 I. L. Hook, S. Ryan and H. Sheridan

Ecological Biochemistry

The lachrymatory principle of *Petiveria alliacea* — 37 R. Kubec, S. Kim and R. A. Musah

Insect antifeedant furanocoumarins from *Tetradium daniellii* — 41 P. C. Stevenson, M. S. J. Simmonds, M. A. Yule, N. C. Veitch, G. C. Kite, D. Irwin and M. Legg

Synthesis of (*R*)- and (*S*)-10,16-dihydroxyhexadecanoic acid: cutin stereochemistry and fungal activation — 47 A. Ahmed, T. Crawford, S. Gould, Y. S. Ha, M. Hollrah, F. Noor-E-Ain, M. B. Dickman and P. H. Dussault

Effect of high temperature on fine structure of amylopectin in rice endosperm by reducing the activity of the starch branching enzyme — 53 H. Jiang, W. Dian and P. Wu

Chemotaxonomy

Tyrolobibenzyls E and F from *Scorzonera humilis* and distribution of caffeic acid derivatives, lignans and tyrolobibenzyls in European taxa of the subtribe Scorzonerinae (Lactuceae, Asteraceae) — 61 C. Zidorn, E. P. Ellmerer, S. Sturm and H. Stuppner

Glucosinolates, flea beetle resistance, and leaf pubescence as taxonomic characters in the genus *Barbarea* (Brassicaceae) — 69 N. Agerbirk, M. Ørgaard and J. K. Nielsen

Bioactive Products

Antimicrobial activity of pentacyclic triterpenes isolated from African Combretaceae — 81 D. R. Katerere, A. I. Gray, R. J. Nash and R. D. Waigh

Screening of oxylipins for control of oilseed rape (*Brassica napus*) fungal pathogens — 89 G. Granér, M. Hamberg and J. Meijer

Comparative antioxidant activity of individual herbal components used in Ayurvedic medicine — 97 G. H. Naik, K. I. Priyadarsini, J. G. Satav, M. M. Banavalikar, D. P. Sohoni, M. K. Biyani and H. Mohan

Chemistry

A pregeijerene isomer from *Juniperus erectopatens* foliage — 105 L. G. Cool and R. P. Adams

doi:10.1016/S0031-9422(03)00479-5

Volatile compounds from leaf-buds of *Populus nigra* L. (Salicaceae) 109 I. Jerković and J. Mastelić

New class of steroidal alkaloids from *Fritillaria imperialis* 115 M. N. Akhtar, Atta-ur-Rahman, M. I. Choudhary, B. Sener, I. Erdogan and Y. Tsuda

Book Review
Phytochemistry in the Genomics and Post-Genomics Eras: Recent Advances in Phytochemistry, edited by J.T. Romero, R.A. Dixon 123 G. P. Bolwell

Number 2

Graphical Abstracts vii

Protein Biochemistry
Purification and characterization of two soluble acid invertase isozymes from Japanese pear fruit 125 H. Hashizume, K. Tanase, K. Shiratake, H. Mori and S. Yamaki

Enzymatic carotenoid cleavage in star fruit (*Averrhoa carambola*) 131 P. Fleischmann, N. Watanabe and P. Winterhalter

Metabolism
Lipid biosynthesis in developing perilla seeds 139 K. Ichihara and Y. Suda

The effect of growth phase on the lipid class, fatty acid and sterol composition in the marine dinoflagellate, *Gymnodinium* sp. in batch culture 145 M. P. Mansour, J. K. Volkman and S. I. Blackburn

Density-dependent patterns of thiamine and pigment production in the diatom *Nitzschia microcephala* 155 E. Pinto, L. Van Nieuwerburgh, M. Paes de Barros, M. Pedersén, P. Colepicolo and P. Snoeijs

Phenolic extractives in *Salix caprea* wood and knots 165 S. P. Pohjamo, J. E. Hemming, S. M. Willför, M. H. T. Reunanen and B. R. Holmbom

Ecological Biochemistry
Induction of pilocarpine formation in jaborandi leaves by salicylic acid and methyljasmonate 171 G. Avancini, I. N. Abreu, M. D. A. Saldaña, R. S. Mohamed and P. Mazzafera

Characterization of the wound-induced material in *Citrus paradisi* fruit peel by carbon-13 CP-MAS solid state NMR spectroscopy 177 S. Lai, A. Lai, R. R. Stange Jr., T. G. McCollum and M. Schirra

Chemotaxonomy
Alkaloids from *Dictyoloma vandellianum*: their chemo-systematic significance 185 C. F. P. Sartor, M. F. das G. F. da Silva, J. B. Fernandes, P. C. Vieira, E. R. Fo and D. A. G. Cortez

Bioactive Products
Piperidine alkaloids from *Piper methysticum* 193 K. Dragull, W. Y. Yoshida and C.-S. Tang

Genotoxic and antigenotoxic effects of catechin and tannins from the bark of *Hamamelis virginiana* L. in metabolically competent, human hepatoma cells (Hep G2) using single cell gel electrophoresis 199 A. Dauer, A. Hensel, E. Lhoste, S. Knasmüller and V. Mersch-Sundermann

Soybean isoflavones inhibit tumor necrosis factor-α-induced apoptosis and the production of interleukin-6 and prostaglandin E_2 in osteoblastic cells 209 K. S. Suh, G. Koh, C. Y. Park, J. T. Woo, S. W. Kim, J. W. Kim, I. K. Park and Y. S. Kim

Phenolic glycosides from *Symplocos racemosa*: natural inhibitors of phosphodiesterase I 217 V. U. Ahmad, M. A. Abbasi, H. Hussain, M. N. Akhtar, U. Farooq, N. Fatima and M. I. Choudhary

Chemistry
Volatile constituents of *Aristolochia argentina* 221 H. A. Priestap, C. M. van Baren, P. Di Leo Lira, J. D. Coussio and A. L. Bandoni

Secondary metabolites from the liverwort *Jamesoniella colorata* 227 U. M. Hertewich, J. Zapp and H. Becker

Book Review
"Caffeine to Cocaine and back." Alkaloids—Nature's Curse or Blessing? by M. Hesse 235 T. Lazar

Erratum
Erratum to "A flavonol *O*-methyltransferase from *Cathar-anthus roseus* performing two sequential methylations": [Phytochemistry 62 (2003) 127–137] 237 S. Cacace, G. Schröder, E. Wehinger, D. Strack, J. Schmidt and J. Schröder

Number 3

Graphical Abstracts vii

Editorial Comment
Global phytochemistry: the Egyptian experience 239 N. A. M. Saleh

Full Papers
Protein Biochemistry
Pectate lyase activity during ripening of banana fruit 243 A. Payasi and G. G. Sanwal

Cys/Gly-rich proteins with a putative single chitin-binding domain from oat (*Avena sativa*) seeds 249 S.-S. Li and P. Claeson

Metabolism
An esterase is involved in geraniol production during palmarosa inflorescence development 257 V. S. Dubey, R. Bhalla and R. Luthra

Ecological Biochemistry
Fragrance chemistry, nocturnal rhythms and pollination "syndromes" in *Nicotiana* 265 R. A. Raguso, R. A. Levin, S. E. Foose, M. W. Holmberg and L. A. McDade

Actinidia arguta: volatile compounds in fruit and flowers 285 A. J. Matich, H. Young, J. M. Allen, M. Y. Wang, S. Fielder, M. A. McNeilage and E. A. MacRae

Development of an ELISA approach for the determination of flavodoxin and ferredoxin as markers of iron deficiency in phytoplankton 303 L. A. Inda and M. L. Peleato

Regional and habitat differences in 7-methyljuglone content of Finnish *Drosera rotundifolia* 309 T. Kämäräinen, J. Uusitalo, J. Jalonen, K. Laine and A. Hohtola

Bioactive Products
Preparation and biological assessment of hydroxycinnamic acid amides of polyamines 315 S. Fixon-Owoo, F. Levasseur, K. Williams, T. N. Sabado, M. Lowe, M. Klose, A. Joffre Mercier, P. Fields and J. Atkinson

Activity-guided isolation of the chemical constituents of *Muntingia calabura* using a quinone reductase induction assay 335 B.-N. Su, E. J. Park, J. S. Vigo, J. G. Graham, F. Cabieses, H. H. S. Fong, J. M. Pezzuto and A. D. Kinghorn

Effects of black-eyed pea trypsin/chymotrypsin inhibitor on proteolytic activity and on development of *Anthonomus grandis* 343 O. L. Franco, R. C. dos Santos, J. A. N. Batista, A. C. M. Mendes, M. A. M. de Araújo, R. G. Monnerat, M. F. Grossi-de-Sá and S. M. de Freitas

Chemistry
Structural diversity of fructans from members of the order Asparagales in New Zealand 351 I. M. Sims

Compound-specific δD–δ^{13}C analyses of *n*-alkanes extracted from terrestrial and aquatic plants 361 Y. Chikaraishi and H. Naraoka

Book Review
Neurotransmitters in Plant Life by V.V. Roshchina 373 F. Baluška

Corrigendum
Corrigendum to "Diterpenoids from the fruits of *Vitex agnus-castus*" [Phytochemistry 52 (1999) 1555–1558] 375 E. Hoberg, J. Orjala, B. Meier and O. Sticher

Number 4

Graphical Abstracts vii

Terpenoids
Sipaucins A–C, sesquiterpenoids from *Siparuna pauciflora*☆ 377 K. Jenett-Siems, C. Kraft, K. Siems, J. Jakupovic, P. N. Solis, M. P. Gupta and U. Bienzle

Charminarone, a *seco*-pseudoguaianolide from *Parthenium hysterophorus* 383 B. Venkataiah, C. Ramesh, N. Ravindranath and B. Das

Withanolides from *Withania coagulans* 387 Atta-ur-Rahman, Dur-e-Shahwar, A. Naz and M. I. Choudhary

Studies of *ent*-kaurane diterpenes from *Oyedaea verbesinoides* for their inhibitory activity on vascular smooth muscle contraction 391 S. Müller, C. R. Tirapelli, A. M. de Oliveira, R. Murillo, V. Castro and I. Merfort

Iridoid glucosides from *Randia spinosa* (Rubiaceae) 397 L. Hamerski, M. Furlan, D. H. S. Silva, A. J. Cavalheiro, M. N. Eberlin, D. M. Tomazela and V. da Silva Bolzani

Triterpenoid saponins from *Schefflera arboricola* 401 F. R. Melek, T. Miyase, S. M. A. Khalik and M. R. El-Gindi

The absolute stereochemistry of a diterpene from *Ballota aucheri* 409 C. A. Gray, D. E. A. Rivett and M. T. Davies-Coleman

4α-Methyl-24β-ethyl-5α-cholesta-14,25-dien-3β-ol and 24β-ethylcholesta-5, 9(11), 22E-trien-3β-ol, sterols from *Clerodendrum inerme* 415 R. Pandey, R. K. Verma, S. C. Singh and M. M. Gupta

Pentacyclic triterpenes from *Euphorbia stygiana* 421 E. M. C. Lima, J. M. R. Medeiros and L. B. Davin

Phenolics

Two biflavonoids from *Ouratea flava* stem bark 427 J. N. Mbing, D. E. Pegnyemb, R. G. Tih, B. L. Sondengam, A. Blond and B. Bodo

Unique phenolic carboxylic acids from *Sanguisorba minor* 433 N. A. Ayoub

Evariquinone, isoemericellin, and stromemycin from a sponge derived strain of the fungus *Emericella variecolor* 437 G. Bringmann, G. Lang, S. Steffens, E. Günther and K. Schaumann

Two prenylated flavonoids from the stem bark of *Erythrina burttii* 445 A. Yenesew, B. Irungu, S. Derese, J. O. Midiwo, M. Heydenreich and M. G. Peter

Flavone C-glycosides from *Lupinus hartwegii* 449 M. S. Kamel

Phenolic constituents from *Drypetes armoracia* 453 J. Wandji, F. Tillequin, D. A. Mulholland, A. D. Temgoua, J.-D. Wansi, E. Seguin and Z. T. Fomum

Flavonoids from *Andrographis lineata* 457 P. H. Kishore, M. V. B. Reddy, M. K. Reddy, D. Gunasekar, C. Caux and B. Bodo

A flavonol tetraglycoside from *Sophora japonica* seeds 463 J.-H. Wang, F.-C. Lou, Y.-L. Wang and Y.-P. Tang

Xanthones from the bark of *Garcinia merguensis* 467 L.-H. D. Nguyen, H. T. Vo, H. D. Pham, J. D. Connolly and L. J. Harrison

Prenylated isoflavonoids from *Millettia pervilleana* 471 G. Palazzino, P. Rasoanaivo, E. Federici, M. Nicoletti and C. Galeffi

Alkaloids

Alkaloids from the seeds of *Sterculia lychnophora* (Pangdahai) 475 R.-F. Wang, X.-W. Yang, C.-M. Ma, M.-Y. Shang, J.-Y. Liang, X. Wang, S.-Q. Cai and Y. Shoyama

General Chemistry

Sesquiterpene lactone glucosides and alkyl glycosides from the fruit of cumin 479 T. Takayanagi, T. Ishikawa and J. Kitajima

Two acyl sucroses from *Petunia nyctaginiflora* 485 A. P. Singh, A. K. Singh, A. S. Begum and M. Sahai

Phenylethanoid and aliphatic alcohol glycosides from *Acanthus ilicifolius* 491 J. Wu, S. Zhang, Q. Xiao, Q. Li, J. Huang, L. Long and L. Huang

Flavonol and drimane-type sesquiterpene glycosides of *Warburgia stuhlmannii* leaves 497 L. O. A. Manguro, I. Ugi, R. Hermann and P. Lemmen

Announcement 503

Number 5

Graphical Abstracts vii

Molecules of Interest

Vanillin 505 N. J. Walton, M. J. Mayer and A. Narbad

Full Papers

Protein Biochemistry
The patatin-like protein from the latex of *Hevea brasiliensis* (Hev b 7) is not a vacuolar protein — 517 — P. A. Jekel, J. Hofsteenge and J. J. Beintema

Identification of potent inhibitors of *Helicoverpa armigera* gut proteinases from winged bean seeds — 523 — A. P. Giri, A. M. Harsulkar, M. S. B. Ku, V. S. Gupta, V. V. Deshpande, P. K. Ranjekar and V. R. Franceschi

Metabolism
Use of plant cell cultures to study graminicide effects on lipid metabolism — 533 — L. J. Price, D. Herbert, D. J. Cole and J. L. Harwood

Maize stem tissues: ferulate deposition in developing internode cell walls — 543 — H.-J. G. Jung

Ecological Biochemistry
Rice seedlings release momilactone B into the environment — 551 — H. Kato-Noguchi and T. Ino

Chemotaxonomy
Chemical profiling of *Ocimum americanum* using external flavonoids — 555 — R. F. Vieira, R. J. Grayer and A. J. Paton

Bioactive Products
Antimicrobial action of palmarosa oil (*Cymbopogon martinii*) on *Saccharomyces cerevisiae* — 569 — A. Prashar, P. Hili, R. G. Veness and C. S. Evans

Allelopathic substances in *Pueraria thunbergiana* — 577 — H. Kato-Noguchi

Chemistry
Sesquiterpene constituents from the liverwort *Bazzania japonica* — 581 — R. Lu, C. Paul, S. Basar, W. A. König, T. Hashimoto and Y. Asakawa

A "flavone-polysaccharide" redefined as a mixture of 6-methoxyluteolin penta- and hexa-*O*-glycosides — 589 — K. R. Markham

An arylbenzofuran and four isoflavonoids from the roots of *Erythrina poeppigiana* — 597 — H. Tanaka, T. Oh-Uchi, H. Etoh, M. Sako, M. Sato, T. Fukai and Y. Tateishi

Chemical and cytotoxic constituents from *Peperomia sui* — 603 — M.-J. Cheng, S.-J. Lee, Y.-Y. Chang, S.-H. Wu, I.-L. Tsai, B. Jayaprakasam and I.-S. Chen

Aromatic compound glucosides, alkyl glucoside and glucide from the fruit of anise — 609 — E. Fujimatu, T. Ishikawa and J. Kitajima

The unmasking of lignin structures in wheat straw by alkali — 617 — N. Durot, F. Gaudard and B. Kurek

Conodurine, conoduramine, and ervahanine derivatives from *Tabernaemontana corymbosa* — 625 — T.-S. Kam and K.-M. Sim

Book Reviews
Handbook of Plant and Crop Physiology (2nd ed.), edited by M. Pessarakli — 631 — M. Burrell

The Simple Plant Isoquinolines, by A.T. Shugin and W.E. Perry — 631 — S. D. Sarker

Major Herbs of Ayurveda, edited by E. Williamson — 632 — G. A. Cordell

Number 6

Graphical Abstracts — vii

Protein Biochemistry
Biochemical evidence for a cGMP-regulated protein kinase in *Pharbitis nil* — 635 — A. Szmidt-Jaworska, K. Jaworski, A. Tretyn and J. Kopcewicz

Bitter gourd proteinase inhibitors: potential growth inhibitors of *Helicoverpa armigera* and *Spodoptera litura* — 643 — M. Telang, A. Srinivasan, A. Patankar, A. Harsulkar, V. Joshi, A. Damle, V. Deshpande, M. Sainani, P. Ranjekar, G. Gupta, A. Birah, S. Rani, M. Kachole, A. Giri and V. Gupta

Metabolism
3,4-Dichloroaniline is detoxified and exported via different pathways in *Arabidopsis* and soybean — 653 — S.-H. Lao, C. Loutre, M. Brazier, J. O. D. Coleman, D. J. Cole, R. Edwards and F. L. Theodoulou

The microbiological transformation of the diterpenes dehydroabietanol and teideadiol by *Mucor plumbeus* 663 B. M. Fraga, M. G. Hernández, J. M. Artega and S. Suárez

Hydroperoxy-arachidonic acid mediated *n*-hexanal and (*Z*)-3- and (*E*)-2-nonenal formation in *Laminaria angustata* 669 K. Boonprab, K. Matsui, Y. Akakabe, N. Yotsukura and T. Kajiwara

Ecological Biochemistry
Soluble and wall-bound phenolics and phenolic polymers in *Musa acuminata* roots exposed to elicitors from *Fusarium oxysporum* f.sp. *cubense* 679 A. R. F. D. C. de Ascensao and I. A. Dubery

Chemotaxonomy
Melanin in the extracellular matrix of germlings of *Botrytis cinerea* 687 R. P. Doss, J. Deisenhofer, H.-A. Krug von Nidda, A. H. Soeldner and R. P. McGuire

Long-chain (C_{19}–C_{29}) 1-chloro-*n*-alkanes in leaf waxes of halophytes of the Chenopodiaceae 693 V. Grossi and D. Raphel

Cyanogenic *Eucalyptus nobilis* is polymorphic for both prunasin and specific β-glucosidases 699 R. M. Gleadow, A. C. Vecchies and I. E. Woodrow

Chemistry
Investigating plant–plant interference by metabolic fingerprinting 705 E. Gidman, R. Goodacre, B. Emmett, A. R. Smith and D. Gwynn-Jones

Characterisation of alkaloids from some Australian *Stephania* (Menispermaceae) species 711 J. T. Blanchfield, D. P. A. Sands, C. H. L. Kennard, K. A. Byriel and W. Kitching

Mechanism of dusky reddish-brown "kaki" color development of Japanese morning glory, *Ipomoea nil* cv. Danjuro 721 K. Yoshida, M. Osanai and T. Kondo

Two very unusual macrocyclic flavonoids from the water lily *Nymphaea lotus* 727 A. A. Elegami, C. Bates, A. I. Gray, S. P. Mackay, G. G. Skellern and R. D. Waigh

Book Reviews
Natural Products in the New Millennium: Prospects and Industrial Application edited by A.P. Rauter, F.B. Palma, J. Justino, M.E. Araújo and S.P. dos Santos 733 S. Gibbons

Plant Resources of South-East Asia 12(3) Medicinal and Poisonous Plants 3 edited by R.H.M.J. Lemmens and N. Bunyapraphatsara 733 D. R. Gardner

Nutraceuticals by L. Rapport and B. Lockwood 734 P. M. Bramley

Pectins and their Manipulation edited by G.B. Seymour and J.P. Knox 735 S. C. Fry

Erratum
Erratum to "Comparative chemical attributes of native North American hop, *Humulus lupulus* var. *lupuloides* E. Small" [Phytochemistry 61 (2002) 855–862] 737 R. Hampton, G. Nickerson, P. Whitney and A. Haunold

Number 7

Graphical Abstracts vii

Protein Biochemistry
Mechanistic characterization of ω-3 desaturation in the green alga *Chlorella vulgaris* 739 F. Daligault, D. W. Reed, C. K. Savile, C. Nugier-Chauvin, H. Patin, P. S. Covello and P. H. Buist

Purification of a polyphenol oxidase isoform from potato (*Solanum tuberosum*) tubers 745 C. Marri, A. Frazzoli, A. Hochkoeppler and V. Poggi

Molecular Genetics and Genomics
Metabolic engineering to increase isoflavone biosynthesis in soybean seed 753 O. Yu, J. Shi, A. O. Hession, C. A. Maxwell, B. McGonigle and J. T. Odell

Metabolism
Lignification in relation to the biennial growth habit in brassicas 765 B. W. Evans, C. E. Snape and M. C. Jarvis

Biosynthesis of 2,3-epoxybrassinosteroids in seedlings of *Secale cereale* 771 A. P. Antonchick, B. Schneider, V. N. Zhabinskii, O. V. Konstantinova and V. A. Khripach

Ecological Biochemistry
Understory light and root ginsenosides in forest-grown *Panax quinquefolius* 777 A. R. Fournier, J. T. A. Proctor, L. Gauthier, S. Khanizadeh, A. Bélanger, A. Gosselin and M. Dorais

Chemotaxonomy
Anthocyanins from flowers of the orchids *Dracula chimaera* and *D. cordobae* 783 T. Fossen and D. O. Øvstedal

Bioactive Products
Flavanoids from *Caesalpinia pulcherrima* 789 K. V. N. S. Srinivas, Y. K. Rao, I. Mahender, B. Das, K. V. S. Rama Krishna, K. Hara Kishore and U. S. N. Murty

Antioxidative polyphenols from walnuts (*Juglans regia* L.) 795 T. Fukuda, H. Ito and T. Yoshida

Chemistry
Insecticidal pyrido[1,2-*a*]azepine alkaloids and related derivatives from *Stemona* species 803 E. Kaltenegger, B. Brem, K. Mereiter, H. Kalchhauser, H. Kählig, O. Hofer, S. Vajrodaya and H. Greger

Size exclusion chromatographic analysis of polyphenol–serum albumin complexes 817 T. Hatano, M. Hori, R. W. Hemingway and T. Yoshida

Lignans from *Phyllanthus urinaria* 825 C.-C. Chang, Y.-C. Lien, K. C. S. C. Liu and S.-S. Lee

Eudesmane and megastigmane glucosides from *Laggera alata* 835 Q. Zheng, Z. Xu, X. Sun, W. Yao, H. Sun, C. H. K. Cheng and Y. Zhao

Stigmastane derivatives and isovaleryl sucrose esters from *Vernonia guineensis* (Asteraceae) 841 A. T. Tchinda, P. Tane, J. F. Ayafor and J. D. Connolly

Book Reviews
Flavonoids in Cell Function edited by B. S. Buslig and J. A. Manthey 847 C. Rice-Evans

Poisonous Plants of South Africa by B. van Wyk, F. van Heerden and B. van Oudtshoorn 847 D. A. H. Taylor

Taxus: The Genus Taxus edited by H. Itokawa and K.-H. Lee 848 R. Croteau

Erratum
Erratum to "Evidence for general occurrence of homospermidine in plants and its supposed origin as by-product of deoxyhypusine synthase" [Phytochemistry 62 (2003) 339–344] 851 D. Ober, L. Gibas, L. Witte and T. Hartmann

Number 8

The contents are arranged by class of compound within each section, e.g. primary metabolites, terpenoids, phenolics, alkaloids.

Graphical Abstracts vii

Terpenoids
Triterpenoidal lupin saponins from the Chilean legume *Lupinus oreophilus* Phil. 853 G. M. Woldemichael, G. Montenegro and B. N. Timmermann

Diterpenoid from *Salvia greggii* 859 N. Kawahara, M. Inoue, K. Kawai, S. Sekita, M. Satake and Y. Goda

Germacranolides from seeds of the endangered Umbelliferae species *Rouya polygama* 863 B. Muckensturm, F. Sen, A. Boulanger and J.-P. Reduron

A trinorsesterterpene glycoside from the North American fern *Woodwardia virginica* (L.) Smith 869 L. O. Hanuš, T. Řezanka and V. M. Dembitsky

Guaiane-type sesquiterpenoids from *Alisma orientalis* 877 G.-P. Peng, G. Tian, X.-F. Huang and F.-C. Lou

Mulinane-type diterpenoids from *Mulinum spinosum* 883 A. I. Chiaramello, C. E. Ardanaz, E. E. García and P. C. Rossomando

Iridoids from *Kigelia pinnata* DC. fruits 887 Y. G. Gouda, A. M. Abdel-baky, F. M. Darwish, K. M. Mohamed, R. Kasai and K. Yamasaki

Phenolics

Isolation and structure elucidation of flavonoid and phenolic acid glycosides from pericarp of hot pepper fruit *Capsicum annuum* L. 893 M. Materska, S. Piacente, A. Stochmal, C. Pizza, W. Oleszek and I. Perucka

A dehydrotrimer of ferulic acid from maize bran 899 X. Rouau, V. Cheynier, A. Surget, D. Gloux, C. Barron, E. Meudec, J. Louis-Montero and M. Criton

Caffeoyl sugar esters and an ellagitannin from *Rubus sanctus* 905 S. A. M. Hussein, N. A. Ayoub and M. A. M. Nawwar

Two oligostilbenes, *cis*- and *trans*-diptoindonesin B, from *Dryobalanops oblongifolia* 913 Y. M. Syah, N. S. Aminah, E. H. Hakim, N. Aimi, M. Kitajima, H. Takayama and S. A. Achmad

Thelephantins D–H: five *p*-terphenyl derivatives from the inedible mushroom *Thelephora aurantiotincta* 919 D. N. Quang, T. Hashimoto, Y. Hitaka, M. Tanaka, M. Nukada, I. Yamamoto and Y. Asakawa

1-Methyl anthraquinones and their biogenetic precursors from *Stereospermum personatum* 925 U. S. Kumar, P. Aparna, R. J. Rao, T. P. Rao and J. M. Rao

General Chemistry

Two cyclohexenone glycosides from the North American fern *Woodwardia virginica* (L.) Smith 931 T. Řezanka, V. M. Dembitsky and L. O. Hanuš

Benzofurans and another constituent from seeds of *Styrax officinalis* 939 Y. Y. Akgul and H. Anil

Polypropionate lactones of deoxysugars glycosides from slime mold *Lycogala epidendrum* 945 T. Řezanka and R. Dvořáková

Diterpene esters of aristolochic acids from *Aristolochia pubescens* 953 I. R. Nascimento and L. M. X. Lopes

Glucosides from *Vitex agnus-castus* 959 A. Kuruüzüm-Uz, K. Ströch, L. O. Demirezer and A. Zeeck

Sulfur containing derivatives from *Ferula persica* var. *latisecta* 965 M. Iranshahi, G.-R. Amin, M. Amini and A. Shafiee

Comparative studies of the polysaccharides from species of the genus *Ramalina*—lichenized fungi—of three distinct habitats 967 L. M. C. Cordeiro, E. Stocker-Wörgötter, P. A. J. Gorin and M. Iacomini

Neo-clerodane diterpenoids and phenylethanoid glycosides from *Teucrium chamaedrys* L. 977 E. Bedir, R. Manyam and I. A. Khan

Lignan and megastigmane glycosides from *Sauropus androgynus* 985 T. Kanchanapoom, P. Chumsri, R. Kasai, H. Otsuka and K. Yamasaki